






Specifications



- Fan with inverter motor; HD filter included
- Triangle Design; "Good Sleep" mode

Wall-Mounted Triangle R32 NEW

		Indoor Unit	AC026RNADKG/EU AC026RXADKG/EU	AC035RNADKG/EU AC035RXADKG/EU	AC052RNADKG/EU AC052RXADKG/EU	AC071RNADKG/EU AC071RXADKG/EU
		Outdoor Unit- Mono-Phase				
		Outdoor Unit- Tri-Phase				
Capacity						
	Cooling (Min/Nominal/Max)	kW	0.96 / 2.60 / 3.60	1.00 / 3.50 / 3.90	1.30 / 5.00 / 6.50	1.50 / 7.10 / 8.70
	Heating up to +7°C (Min/Nominal/Max)	kW	1.00 / 3.30 / 4.00	1.10 / 4.00 / 4.70	1.50 / 6.00 / 6.25	1.90 / 8.00 / 9.00
	Heating @ -5°C	kW	3.2	3.9	5.9	7.8
	Heating @ -15°C	kW	2.9	3.5	5.2	7.00
Performance						
Energy Efficiency Cooling	SEER	W/W	6.6 / A++	6.5 / A++	6.2 / A++	6.4 / A++
	Consumption	kWh/a	138	188	282	388
	Pdesignc	kW	2.6	3.5	5.0	6.4
	EER	W/W	3.51	3.18	2.27	3.02
Energy Efficiency Heating	SCOP	W/W	4.0 / A+	4.0 / A+	3.9 / A	4.0 / A+
	Consumption	kWh/a	700	700	862	1260
	Pdesignh (average)	kW	2.0	2.0	2.4	3.6
	COP	W/W	3.00	2.58	2.79	3.27
AirFlow Rate	Indoor Unit (High/Mid/Low)	m ³ /min	7.7 / 6.2 / 5.0	8.5 / 7.2 / 5.8	10.7 / 9.0 / 7.2	17.1 / 14.5 / 12.4
Sound Power	Indoor Unit	dB(A)	56	59	60	61
	Outdoor Unit	dB(A)	59	61	62	65
Sound Pressure	Indoor Unit (Silent/Low/Mid/High)	dB(A)	21 / 24 / 30 / 36	20 / 26 / 32 / 38	25 / 32 / 37 / 42	30 / 35 / 39 / 43
	Outdoor Unit	dB(A)	46 / 47	48 / 61	48 / 48	49 / 51
Fan/ Outdoor unit	Type		Crossflow Fan	Crossflow Fan	Crossflow Fan	Crossflow Fan
	Power	W	27	27	27	27
	Number	EA	1	1	1	1
External Static Pressure	Min / Std / Max	Pa				
Operating Temp. Range	Cooling	°C	-15 ~ 46	-15 ~ 46	-15 ~ 50	-15 ~ 50
	Heating	°C	-20 ~ 24	-20 ~ 24	-20 ~ 24	-20 ~ 24
Electrical Data						
Power Source	Indoor Unit	V / Hz / Φ / #	220-240/ 50/ 1/ 2	220-240/ 50/ 1/ 2	220-240/ 50/ 1/ 2	220-240/ 50/ 1/ 2
	Outdoor Unit 1P	V / Hz / Φ / #	220-240/ 50/ 1/ 2	220-240/ 50/ 1/ 2	220-240/ 50/ 1/ 2	220-240/ 50/ 1/ 2
	Outdoor Unit 3P	V / Hz / Φ / #				
Compressor Type	Outdoor Unit	Type	Single BLDC	Single BLDC	Twin BLDC	Twin BLDC
Power (Min/Nominal/Max)	Cooling	kW	0.18 / 0.74 / 1.20	0.19 / 1.10 / 1.30	0.40 / 2.20 / 2.30	0.35 / 2.35 / 3.60
	Heating	kW	0.21 / 1.10 / 1.45	0.23 / 1.55 / 1.80	0.34 / 2.15 / 3.15	0.35 / 2.45 / 3.95
Current Input	Cooling (Min/Std/Max)	A	1.4 / 3.7 / 5.5	1.4 / 5.3 / 6.0	2.6 / 9.6 / 10.1	2.0 / 10.3 / 16.0
	Heating (Min/Std/Max)	A	1.3 / 5.1 / 7.0	1.4 / 6.9 / 10.5	2.3 / 9.4 / 14.0	2.0 / 10.7 / 17.0
	Cooling- Tri-Phase (Min/Std/Max)	A				
	Heating- Tri-Phase (Min/Std/Max)	A				
Dimensions						
Net Dimensions (W x H x D)	Indoor Unit	mm	750 x 249 x 246	750 x 249 x 246	896 x 261 x 261	1065 x 294 x 301
	Outdoor Unit	mm	790 x 548 x 285	790 x 548 x 285	880 x 638 x 310	880 x 798 x 310
Net Weight	Indoor Unit	kg	7.6	7.6	10.8	14.4
	Outdoor Unit	kg	32.5	32.5	43.0	51.0
Refrigerant						
Refrigerant	Type		R32(Contains fluorinated greenhouse gases. GWP=675)			
	Factory charging	kg	0.9 / 20m	0.9 / 20	1.2 / 10m	1.7 / 15m
	Charging Ton equivalent CO2	tCO2e	0.61 tCO2e	0.61 tCO2e	0.81 tCO2e	1.15 tCO2e
	Additional refrigerant charging	g / m	-	-	15	25
Piping Connections	Liquid Pipe	Φ.inch	1 / 4	1 / 4	1 / 4	1 / 4
	Gas Pipe	Φ.inch	3 / 8	3 / 8	1 / 2	5 / 8
Piping Length	Min/ Max	m	3 / 20	3 / 20	3 / 30	3 / 50
Piping Height	Max	m	15	15	20	30
Piping Connections	Drain pipe	Φ.mm	ID 18	ID 18	ID 18	ID 18

Accessories				
Individual Controllers (Optional)			Others (Optional)	
				
AR-EH03E	MWR-SH11N	MWR-WE13N	MIM-H03N	MRW-TA


SUNG

13784671

Dimensional Drawings


Wall-Mounted Triangle

AC026/035*NADK*/EU



Wall-Mounted Triangle


AC052*NADK*/EU



Dimensional Drawings

Wall-Mounted Triangle

AC071*NADK*/EU



Learn more about Samsung Climate Solutions at: www.samsung.com/climate

Copyright © 2018 Samsung Electronics Air Conditioner B.V. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co., Ltd. Specifications and designs are subject to change without notice and may include preliminary information. Nonmetric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.

Samsung Electronics Air Conditioner Europe B.V.

Evert van de Beekstraat 310, 1118 CX Schiphol • P.O. Box 75810, 1118 ZZ Schiphol • +31 (0)8 81 41 61 00 • Netherlands

